

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **AttractANT PRO<sup>®</sup> ANT GEL**

ACTIVE CONSTITUENT: 0.5 g/kg INDOXACARB

<b>GROUP</b>	<b>22A</b>	<b>INSECTICIDE</b>
--------------	------------	--------------------

**For the control of ants in situations as specified in the  
Directions for Use**

**Net contents: 20 g – 500 g**

**DIRECTIONS FOR USE****Restrictions**

DO NOT place gel on surfaces that are regularly washed.

DO NOT allow to contact food, livestock feed or their water.

BEFORE USING, all unpackaged food and packaging material must be removed from the room.

DO NOT place gel on surfaces where food is prepared or on utensils that are used for food preparation, on food packaging materials or on surfaces where food packaging materials are stored.

AttractantPRO Ant Gel may be used in cracks and crevices as an ant pesticide provided its use does not create a nuisance.

DO NOT apply AttractantPRO Ant Gel to surfaces where the temperature exceeds 50°C as this could cause the gel to liquefy and lose effectiveness. (Examples include, but are not limited to, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, coffee urns, toasters, fryers, dishwashers and hot water pipes).

<b>Situation</b>	<b>Pest</b>	<b>Rate</b>	<b>Critical Comments</b>
<b>Residential, commercial and industrial buildings</b> including factories, farm buildings, food handling/processing establishments, homes, hospitals, hotels, motels, offices, restaurants, retail outlets, schools, store rooms, supermarkets, warehouses. <b>Transportation equipment</b> such as aircraft, boats, buses, ships, trains. <b>Other situations</b> which fall within these definitions.	Major pest ants including Argentine ant, Black house ant, Coastal brown ant, Ghost ant, Hairy ant/Crazy ant, Pedicel ant, Pennant ant, Pharaoh's ant, Red imported fire ant, Sugar ant	Apply as spots of gel or small lines of gel. Apply 0.1 to 1 g spots of AttractantPRO Ant Gel (approximately 5 mm in diameter spots). Apply lines of gel approximately 2.5 mm wide and 50 mm long, up to 75 mm long for highly active foraging trails	Placement of spots or lines should be next to active foraging trails, nest sites or to areas known to be active. Apply as many placements of AttractantPRO Ant Gel as possible to activate foraging areas without disrupting the natural foraging behaviour of the ants. Bait placement should be inspected periodically for consumption or attractiveness and reapplied as needed. It is recommended that <b>PESTIE DOTZ®</b> or <b>ANT STRIPZ®</b> is used when applying AttractantPRO Ant Gel to aid in accurate bait size application and placement, monitoring bait consumption and accurately identifying where bait placements were made previously. Where application of a non-repellent spray is required it is recommended that a suitable registered product such as <b>EnsnarePRO 50 SC</b> be applied according to the registered label on that product.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**GENERAL INSTRUCTIONS**

AttractantPRO Ant Gel is specifically designed to control major pest species of ants including Argentine ants, black house ants and Pharaoh's ants. AttractantPRO Ant Gel contains the active ingredient indoxacarb, a powerful, non-repellent insecticide. The slight delay in mortality caused by the active ingredient, indoxacarb, encourages ants to consumer the bait and return to the harbourage to contaminate other ants resulting in significant reduction in population levels. Through trophallaxis, ants also share the bait with reproductive members of the colony leading to queen mortality and complete elimination of the infestation. Use of AttractantPRO Ant Gel will help eliminate ants within days of applying the gel when used according to the directions.

## Use Instructions and Precautions

AttractantPRO Ant Gel can be used indoors or outdoors applied as crack and crevice or spot treatment in residential, commercial and industrial buildings including factories, farm buildings, food handling/processing establishments, homes, hospitals, hotels, motels, offices, restaurants, retail outlets, schools, store rooms, supermarkets, warehouses, transportation equipment such as aircraft, boats, buses, ships, trains and other situations which fall within these definitions.

- Avoid applying AttractantPRO Ant Gel to surfaces recently treated with residual sprays.
- Surfaces treated with AttractantPRO Ant Gel should not be treated with residual sprays.

To apply the gel, unscrew the cap on the nozzle and touch the tip to the surface to be treated and slowly squeeze tube until sufficient gel is dispensed. . It is recommended that **PESTIE DOTZ®** or **ANT STRIPZ®** is used when applying AttractantPRO Ant Gel to aid in accurate bait size application and placement. Recap the tube after treatment is completed.

Inspect gel placement periodically and apply fresh ant gel as needed. It is recommended that **PESTIE DOTZ®** or **ANT STRIPZ®** is used when applying AttractantPRO Ant Gel to aid in monitoring bait consumption and accurately identifying where bait placements were made previously.

Where application of a non-repellent spray is required it is recommended that a suitable registered product such as **EnsnarePRO 50 SC** be applied according to the registered label on that product.

## Indoor Use Directions

Infested areas should be carefully inspected to determine overall infestation levels, locations of foraging, nesting areas and most appropriate application points.

Indoor applications can include cracks and crevices along walls or floors, behind or under equipment or appliances, under tables, within framing of tables or furniture, around sinks, within or near garbage collections areas, attics, crawl space and cracks and crevices in cabinets. It is recommended that **PESTIE DOTZ®** or **ANT STRIPZ®** is used when applying AttractantPRO Ant Gel to aid in accurate bait size application and placement.

AttractantPRO Ant Gel bait placements should be inspected periodically for consumption or attractiveness and reapplied as needed. It is recommended that **PESTIE DOTZ®** or **ANT STRIPZ®** is used when applying AttractantPRO Ant Gel to aid in monitoring bait consumption and accurately identifying where bait placements were made previously.

Where application of a non-repellent spray is required it is recommended that a suitable registered product such as **EnsnarePRO 50 SC** be applied according to the registered label on that product.

## Application in Food/Feed Handling Areas

Application to food/feed areas of food/feed handling establishments may only be made as a crack and crevice treatments. Apply AttractantPRO Ant Gel directly into cracks and crevices

by placing the bait dispenser tip approximately 1 cm into cracks and crevices, holes and similar openings where ants are found or are entering.

Food and feed handling areas include areas for receiving, storage, preparing, packing (bottling, boxing, canning, wrapping), edible waste storage and enclosed processing systems (dairies, edible oils, mills, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

### **Outdoor Use Directions**

A thorough inspection around a structure may reveal areas where ants are gaining access to the structure. Attempts should be made to remove the access.

AttractantPRO Ant Gel maybe applied as a spot or thin line (see above) to pest entry sites such as along windows, doors, between construction elements, sewer areas, adjacent trees, along or between brickwork which harbour ants, along walls, garbage holding areas or suitable placement site acting as ant harbourage.

AttractantPRO Ant Gel placements should be made to reduce the potential of subsequent human/animal contact.

### **Insect Resistance Warning**

**GROUP 22A INSECTICIDE**

For insecticide resistance management AttractantPRO Ant Gel is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to AttractantPRO Ant Gel and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AttractantPRO Ant Gel and other Group 22A insecticides are used repeatedly. The effectiveness of AttractantPRO Ant Gel on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sundew Solutions Pty Ltd accepts no liability for any losses that may result from failure of AttractantPRO Ant Gel to control resistant insects. AttractantPRO Ant Gel may be subject to specific resistance management strategies. For further information contact your supplier or Sundew representative.

### **PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT apply this product in any areas easily accessible to children or animals.

### **STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

### **SAFETY DIRECTIONS**

Wash hands after use.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 121 126.

### **MATERIAL SAFETY DATA SHEET**

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy phone 1800 786 339 or visit our website at [www.sundewsolutions.com.au](http://www.sundewsolutions.com.au)

### **DISCLAIMER**

This product complies with the specifications in its statutory registration. Implied terms and

warranties are excluded. Sundew's liability for breach of the express or any non-excludable implied warranty is limited to product replacement or purchase price refund. The purchaser must determine suitability for intended purpose and take all proper precautions in the handling, storage and use of the product including those on the label and/or safety data sheet failing which Sundew shall have no liability.

Sundew AttractANT PRO®, PESTIE DOTZ® and ANT STRIPZ® are registered trademarks of Sundew Solutions Pty Ltd.

Sundew Solutions Pty Ltd  
ABN 37 135 400 261  
Head Office  
Unit 11, 4 Dunlop Court  
Bayswater VIC 3153  
Phone 1800 786 339

[www.sundewsolutions.com.au](http://www.sundewsolutions.com.au)

APVMA Approval Number 87333/118120CO

BN:  
DOM: